

HIKVISION

لیست قیمت رسمی دی ۱۴۰۱

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نماینده مرکزی محصولات هایک ویژن

1

2

3

4

5

6

Click for More information

DS-2CE16D0T-ITPF(2.8mm)

DS-2CE16D0T-ITPFS

DS-2CE16D0T-ITFS

DS-2CE16D0T-EXIF

DS-2CE16D0T-EXIPF

DS-2CE16D3T-ITF



Price (Rials)

٧,٩٢٠,٠٠٠

١١,٦٠٠,٠٠٠

١٢,٩٨٠,٠٠٠

١٠,٠٥٠,٠٠٠

٩,٥٠٠,٠٠٠

١٦,٦٨٠,٠٠٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.02Lux/F1.2

0.02Lux/F1.2

0.02Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

2.8/3.6mm Fixed

Viewing Angle

106.4°/79.6° /51.9°

106.4°/79.6° /51.9°

106.4°/79.6° /51.9°

102°/81°

96.5°/76.9°

106°/82°

IR Range

Up to 25m

Up to 25m (Exir)

Up to 30m (Exir)

Up to 20m

Up to 20m (Exir)

Up to 30m (Exir)

Body Type

Plastic

Plastic

Metal

Metal

Plastic

Metal

IP Standard

IP67

IP67

IP67

IP66

IP66

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

Yes (120db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, DNR, BLC, 2D DNR, Switchable

Smart IR, Switchable, Built in mic

HLC,2D DNR, BLC, Switchable, Built-in microphone

2D DNR, BLC, Switchable

2D DNR, BLC, AGC, Switchable

3D DNR,HLC, BLC, Switchable

7

8

9

10

11

12

Click for More
information

DS-2CE17D0T-IT1F

DS-2CE17D0T-IT3F(2.8mm)

DS-2CE16D0T-VFIR3F

DS-2CE10DF3T-FS(2.8mm)

DS-2CE12DF3T-FS(2.8mm)

DS-2CE76D0T-ITPF(C)



Price (Rials)

۱۴,۷۶۰,۰۰۰

۱۶,۳۹۰,۰۰۰

۲۶,۳۷۰,۰۰۰

۲۴,۱۱۰,۰۰۰

۲۷,۱۳۰,۰۰۰

۷,۹۲۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Dome

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.0005Lux/F1.0

0.0005Lux/F1.0

0.01Lux/F1.2

Lens

2.8/3.6mm Fixed

2.8mm Fixed

2.8 - 12mm VariFocal

2.8mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

101°/79.6°

106.4°

102.25° - 32°

98°

98°

103°/82.2° /54°

IR Range

Up to 30m (Exir)

Up to 40m

Up to 40m

Up to 20m (ColorVu)

Up to 40m (ColorVu)

Up to 20m (Exir)

Body Type

Metal & Plastic

Metal & Plastic

Metal & Plastic

Metal

Metal

Plastic

IP Standard

IP67

IP67

IP66

IP67

IP67

IP66

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

No

Yes (130db)

Yes (130db)

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

3D DNR,HLC, BLC, AGC,
Switchable

HLC, BLC, AGC, Switchable

ICR, BLC, Smart IR,
SwitchableHLC, BLC, Smart IR,
Switchable, 3D DNR, Built
in micHLC, BLC, Smart IR,
Switchable, 3D DNR, Built
in micSmart IR, HLC,BLC,
Switchable

13

14

15

16

17

18

Click for More
information

DS-2CE76D0T-ITPFS

DS-2CE76D0T-ITMF(2.8mm)

DS-2CE76D0T-ITMFS

DS-2CE76D3T-ITPF

DS-2CE78D0T-IT3FS

DS-2CE76D3T-ITMF(2.8mm)



Price (Rials)

11,560,000

13,720,000

14,760,000

14,250,000

16,880,000

16,880,000

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.005Lux/F1.2

0.01Lux/F1.2

0.005Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

Viewing Angle

106°/79.6°

101°

106.4°/79.6°/51.9°

106°/82° /51°

106.4°/79.6° /51.9°

106°

IR Range

Up to 20m (Exir)

Up to 30m

Up to 30m (Exir)

Up to 30m(Exir)

Up to 40m(Exir)

Up to 30m(Exir)

Body Type

Plastic

Metal

Metal

Plastic

Metal & Plastic

Metal

IP Standard

IP66

IP67

IP67

IP66

IP67

IP67

OSD Menu

No

No

No

Yes

No

No

WDR

DWDR

DWDR

DWDR

Yes (120db)

DWDR

Yes (120db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC,BLC,
SwitchableSmart IR, ICR, HLC,BLC, 2D
DNR, SwitchableICR,AGC, Switchable,
Built in micSmart IR, HLC,BLC,
SwitchableSmart IR, AGC, Switchable,
ICR, Built in micSmart IR, HLC,BLC,
Switchable, 3D DNR

19

20

21

22

23

24

Click for More
information

DS-2CE56D0T-VFIR3F

DS-2CE70DF0T-PF

DS-2CE70DF3T-PF(3.6mm)

DS-2CE72DF3T-F(2.8mm)

DS-2CE72DFT-FC

DS-2CE16H0T-ITPF



Price (Rials)

٢٤,٣٧٠,٠٠٠

١٤,٥٨٠,٠٠٠

١٩,٠٩٠,٠٠٠

٢١,١٠٠,٠٠٠

١٠,٥٢٠,٠٠٠

١٣,٠٤٠,٠٠٠

Camera Type

Dome

Dome

Dome

Dome

Dome

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

5 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.001Lux/F1.0

0.0005Lux/F1.0

0.0005Lux/F1.0

0.0008Lux/F1.0

0.01Lux/F1.2

Lens

2.8 - 12mm VariFocal

2.8/3.6/6mm Fixed

3.6 Fixed

2.8 Fixed

3.6/6mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

105°/ 32°

98°/76°/50°

77°

98°

83°/51°

85.5°/80.1°/57.1°

IR Range

Up to 40m

Up to 20m (ColorVu)

Up to 20m (ColorVu)

Up to 40m (ColorVu)

Up to 20m (ColorVu)

Up to 20m (Exir)

Body Type

Metal & Plastic

Plastic

Plastic

Metal & Plastic

Metal & Plastic

Plastic

IP Standard

IP66

IP66

IP66

IP67

IP67

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

Yes (130db)

Yes (130db)

Yes (120db)

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC,
Switchable

AGC, Switchable

AGC, Switchable, 3D DNR

AGC, Switchable, 3D DNR

AGC, Switchable, HLC, BLC,
3D DNRSmart IR, BLC,AGC, DNR,
Switchable

25

26

27

28

29

30

Click for More
information

DS-2CE16H0T-ITPFS

DS-2CE16H0T-ITF

DS-2CE17H0T-IT1F

DS-2CE17H0T-IT3F

DS-2CE17H0T-IT3FS

DS-2CE56H0T-IT1F



Price (Rials)

15,200,000

14,190,000

20,040,000

17,350,000

23,200,000

16,600,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01 Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.4/2.8/3.6mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

85.5°/80.1°/57.1°

85.5°/80.1°/57.1°

110°/85°/80°

85°/80°/57°

85°

105°/85°/65°

IR Range

Up to 25m (Exir)

Up to 20m (Exir)

Up to 30m

Up to 40m

Up to 40m

Up to 20m (Exir)

Body Type

Plastic

Metal

Metal & Plastic

Metal & Plastic

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

No

No

No

Yes

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC,BLC,AGC, 2D
DNR, Switchable, Built in
Mic2D DNR, DWDR,
SwitchableSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, ICR, AGC,
BLC, Switchable

31

32

33

34

35

36

Click for More
information

DS-2CE76H0T-ITPF

DS-2CE76H0T-ITPFS

DS-2CE76H0T-ITMF

DS-2CE76H0T-ITMFS(2.8mm)

DS-2CE78H0T-IT1F

DS-2CE78H0T-IT3F



Price (Rials)

۱۳,۰۰۰,۰۰۰

۱۴,۸۰۰,۰۰۰

۱۸,۰۰۰,۰۰۰

۱۹,۵۲۰,۰۰۰

۱۹,۵۲۰,۰۰۰

۲۱,۰۹۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.4/2.8/3.6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

2.4 mm Fixed

2.8/3.6/6mm Fixed

Viewing Angle

110°/85°/80°

85°/80°/57.1°

105°/85°/65°

85°

110°

85°/80°/57°

IR Range

Up to 20m (Exir)

Up to 20m (Exir)

Up to 30m (Exir)

Up to 30m

Up to 30m (Exir)

Up to 40m (Exir)

Body Type

Plastic

Plastic

Metal

Metal

Metal & Plastic

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, BLC, HLC

Smart IR, ICR, AGC, Built in Mic

Smart IR, ICR, AGC, BLC, Switchable

Smart IR, ICR, AGC, BLC, Switchable, Built in mic

Smart IR, ICR, AGC, BLC,HLC, Switchable

Smart IR, ICR, AGC,HLC, BLC, Switchable

37

38

39

40

Click for More
information

DS-2CE72HFT-F28(2.8mm)

DS-2CE10HFT-F28(2.8mm)

DS-2CE12HFT-F28(2.8mm)

DS-2CE78U8T-IT3



Price (Rials)	۲۵,۳۹۰,۰۰۰	۲۴,۶۳۰,۰۰۰	۲۷,۹۵۰,۰۰۰	۴۵,۲۰۰,۰۰۰
Camera Type	Dome	Bullet	Bullet	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	8.29 Megapixel
Resolution	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	8MP (3840*2160)
Signal System	HD-TVI	HD-TVI	HD-TVI	HD-TVI
Min. Illustration	0.0005 Lux/F1.0	0.0005 Lux/F1.0	0.0005 Lux/F1.0	0.003 Lux/F1.2
Lens	2.8mm Fixed	2.8mm Fixed	2.8mm Fixed	2.8/3.6/6mm Fixed
Viewing Angle	99.7°	99.7°	99.7°	105°/85°/65°
IR Range	Up to 20m (ColorVu)	Up to 20m (ColorVu)	Up to 40m (ColorVu)	Up to 60m (Exir)
Body Type	Metal & Plastic	Metal	Metal	Metal & Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No
WDR	Yes (130db)	Yes (130db)	Yes (130db)	Yes (120db)
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, 3D DNR	Smart IR, 3D DNR, HLC, BLC	Smart IR, 3D DNR, HLC, BLC	Smart IR, ICR

	41	42	43	44	45	46
Click for More information	IDS-7204HQHI-M1/S	DS-7208HQHI-K1	IDS-7208HQHI-M1/S	DS-7216HQHI-K1	DS-7216HQHI-K2	DS-7232HQHI-K2



Price (Rials)	۳۵,۴۰۰,۰۰۰	۴۲,۰۰۰,۰۰۰	۴۹,۵۰۰,۰۰۰	۱۰۲,۱۷۰,۰۰۰	۱۲۰,۰۰۰,۰۰۰	۲۱۸,۶۶۰,۰۰۰
DVR Type	4+1 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8+4 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	32+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	4 Ch. HDTV/Analog Up to 4MP	4 Ch. HDTV/Analog Up to 4MP	8 Ch. HDTV/Analog Up to 4MP	16 Ch. HDTV/Analog Up to 4MP	16 Ch. HDTV/Analog Up to 4MP	32 Ch. HDTV/Analog Up to 4MP
IP Video Input	1 Ch. Up to 6MP	4 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS
Video Output	1 Port HDMI 1080P 1 Port VGA, 1Ch. CVBS	1 Port HDMI 1080P 1 Port VGA, 1Ch. CVBS	1 Port HDMI 1080P 1 Port VGA, 1Ch. CVBS	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	H.265/H.265+ Compression, ONVIF, Smart Search	H.265/H.265+ Compression, ONVIF, Smart Search	H.265/H.265+ Compression, ONVIF, Smart Search	H.265/H.265+ Compression, ONVIF, VCA, Smart Search	H.265/H.265+ Compression, ONVIF, VCA, Smart Search	H.265 Pro+/H.265 Pro/H.265/ Compression, VCA

47

48

49

50

51

52

Click for More
information

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7204HUHI-M1/S

DS-7208HUHI-M1/S

DS-7216HUHI-K2

IDS-7216HUHI-M2/S



Price (Rials)

۵۳,۸۵۰,۰۰۰

۴۷,۷۵۰,۰۰۰

۵۴,۳۰۰,۰۰۰

۸۷,۰۶۰,۰۰۰

۱۶۷,۸۷۰,۰۰۰

۱۸۰,۰۰۰,۰۰۰

DVR Type

4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+16Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+8 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recording

IP Video Input

2 Ch. Up to 8MP

2 Ch. Up to 8MP

2 Ch. Up to 8MP

4 Ch. Up to 8MP

8 Ch. Up to 8MP

8 Ch. Up to 8MP

Audio Input/Output

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

Recording

5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 30FPS
4MP: 30FPS
3mp: 30FPS5MP: 20FPS
4MP: 25FPS
3mp: 18FPS5MP: 20FPS
4MP: 25FPS
3mp: 18FPS

Video Output

1 Port HDMI : 1080P
1 Port VGA1 Port HDMI : 1080P
1 Port VGA
CVBS: PAL1 Port HDMI : 2K
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA
CVBS: PAL

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+ COMPR
Alarm In/Out : 4/1
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 4/1
Built-in PoCH.265/H.265+ COMPR
Alarm In/Out : N/AH.265 Pro+/H.265 Pro,
OnvifH.265/H.265+ COMPR
Alarm In/Out : 16/4H.265/H.265+ COMPR
Alarm In/Out : N/A

Click for More
information

DS-7316HUHI-F4/N



Price (Rials)	۳۱۶,۵۳۰,۰۰۰
DVR Type	16 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	Support Up to 3MP resolution recording
IP Video Input	2 Ch. Up to 8MP
Audio Input/Output	4Ch. In / 2Ch. Out
Recording	3MP: 15FPS 2MP: 25FPS
Video Output	2 Port HDMI : 4K 1 Port VGA CVBS: PAL
SATA Interface	4 HDD up to 6TB
Network Interface	2 RJ45 1000M
Chassis	Standalone 1U
Other Features	H.265/H.265+ COMPR Alarm In/Out : 16/4